





# LAF- und FLA-Werte für alle CREATON Tondachziegelmodelle

Modell	First St./m	Traglattung 30mm x 50mm LAF/FLA-Werte in mm											Traglattung 40mm x 60mm LAF/FLA-Werte in mm											Traglattung 50mm x 50mm LAF/FLA-Werte in mm													
		DN	10°	15°	20°	25°	30°	35°	40°	45°	50°	55°	60°	DN	10°	15°	20°	25°	30°	35°	40°	45°	50°	55°	60°	DN	10°	15°	20°	25°	30°	35°	40°	45°	50°	55°	60°
"EXTRA"	PH 2,6 Stk/m	LAF	60	60	55	50	50	45	45	40	30	30		LAF	60	60	55	45	45	40	40	30	15	15		LAF	55	55	50	40	40	30	30	20	5	5	
		FLA	105	105	100	95	90	80	80	80	80	80		FLA	115	115	110	105	100	90	90	90	90	90		FLA	125	125	120	115	110	105	105	105	110	110	
„TECTA“	PRK 3,0 Stk/m	LAF		60	55	50	50	45	45	40	30		LAF		60	55	45	45	40	40	30	15			LAF		55	50	40	40	30	30	20	5			
		FLA		95	80	75	70	65	55	55	55	55		FLA		105	90	85	80	75	65	65	65			FLA		115	100	95	90	90	80	80	85		
„RATIO“ ALT	PR 2,5 Stk/m	LAF			80	75	70	70	70	70	70		LAF			80	70	65	65	65	60	55			LAF			75	65	60	55	55	50	45			
		FLA			95	80	70	65	55	50	40		FLA			105	90	80	75	65	60	50			FLA			115	100	90	90	80	75	70			
	PRK 3,0 Stk/m	LAF			65	50	50	30	30	30	25		LAF			65	45	45	25	25	20	10			LAF			60	40	40	15	15	10				
		FLA			95	90	90	85	80	75	65		FLA			105	100	100	95	90	85	75			FLA			115	110	110	110	105	100				
„BALANCE“ Reformziegel	PR 2,5 Stk/m	LAF			80	75	70	70	70	70			LAF			80	70	65	65	65	60	55			LAF			75	65	60	55	55	50	45			
		FLA			95	80	70	65	55	50	40		FLA			105	90	80	75	65	60	50			FLA			115	100	90	90	80	75	70			
	PRK 3,0 Stk/m	LAF			65	50	50	30	30	30	25		LAF			65	45	45	25	25	20	10			LAF			60	40	40	15	15	10				
		FLA			95	90	90	85	80	75	65		FLA			105	100	100	95	90	85	75			FLA			115	110	110	110	105	100				